



Our Brands



# ASIAN ASBESTOS PRODUCTS



**Asbestos Ropes**



**Graphite Packing**



**Asbestos Millboard**

## Description:

We are offering a comprehensive range of ASIAN Asbestos Products .

Chrysolite is the most important type of asbestos , because it has the best combination of strength and flexibility. It is a hydrated basic silicate of magnesia.

It is of soft & silky variety. It has special chemical & physical properties of heat resistance, resistance to acids , alkalies & chemicals. These properties are best used to manufacture the asbestos textiles. Asbestos fibre under goes no change upto 350°C to 400°C. It is widely used in Boilers, Pipelines, in Power Station Ships for Thermal Insulations, Boiler mattresses for protective clothing and fire protection, gloves, suits, blankets, aprons, safety curtains and many purposes.



**Asbestos Tape**



**Asbestos Cloth**



**Asbestos Yarn**

## Approximate Conversion Chart:

<b>Asbestos Dry Rope</b>	<b>3mm</b>	<b>6mm</b>	<b>8mm</b>	<b>10mm</b>	<b>12mm</b>	<b>16mm</b>	<b>20mm</b>	<b>25mm</b>
Std Packing	1kg	5kg	5kg	5kg	5kg	5kg	5kg	5kg
Length per roll	50m	125m	100m	75m	55m	35m	15m	10m
Length per Kg	50m	25m	20m	15m	11m	7m	3m	2m
<b>Graphited Rope</b>	<b>6mm</b>	<b>8mm</b>	<b>10mm</b>	<b>12mm</b>	<b>16mm</b>	<b>20mm</b>	<b>25mm</b>	<b>38mm</b>
Std Packing	5kg	5kg	7.5kg	7.5kg	7.5kg	7.5kg	7.5kg	25kg
Length Per Roll	60m	45m	52.5m	37.5m	30m	22.5m	15m	25m
Length per KG	12m	9m	7m	5m	4m	3m	2m	1m
<b>Asbestos Millboard</b>	<b>1.5mm</b>	<b>3mm</b>	<b>5mm</b>	<b>6mm</b>	<b>8mm</b>	<b>10mm</b>	<b>12mm</b>	<b>16mm</b>
Std packing	100kg	100kg	100kg	100kg	100kg	100kg	100kg	100kg
Sheets per crate	60	30	17	15	11	8	7	4

# ASIAN CERAMIC PRODUCTS




**Ceramic Cloth**



**Cerami Tape**



**Ceramic Rope**




**Ceramic Board**



**Ceramic Paper**



**Ceramic Blanket**



**Vermiculite Ceramic Cloth**

## Description:

Ceramic products have proved to be efficient & economical in high temperature thermal insulation application in different industries. Ceramic fibres are available in various forms , providing solution for high temperature application in a wide range of markets. These product forms include Ceramic Bulk fibre , Ceramic Blanket , Ceramic boards , Ceramic Paper , Modules & Textiles. These products are widely used in thermal insulation in steel plant, boilers, pipelines, in power stations, safety welding blankets and many more in various industries.

## Approximate Conversion Chart:

Ceramic Fibre Rope (round)	6mm	8mm	10mm	12mm	16mm	20mm	25mm	38mm
Std Packing	5kg	5kg	5kg	5kg	5kg	5kg	5kg	25kg
Length per roll	200m	120m	100m	80m	45m	30m	20m	37.5m
Length per Kg	40m	24m	20m	16m	9m	6m	4m	1.5m
Ceramic Fibre Rope (square)	6mm	8mm	10mm	12mm	16mm	20mm	25mm	38mm
Std Packing	5kg	5kg	5kg	5kg	5kg	5kg	5kg	25kg
Length per roll	150m	100m	90m	70m	37.5m	25m	15m	35m
Length per Kg	30m	20m	18m	14m	7.5m	5m	3m	1.4m

## Ceramic Fibre Cloth


Size	Weight	Std Packing
2mm x 1m x 1m	1.0 kg	50kg Roll
3mm x 1m x 1m	1.6kg	50kg Roll

## Ceramic Fibre Tape


Size in mm	Weight	Size in mm	Weight
25 x 3	1.5 kg	75 x 3	4.5 kg
50 x 3	2.5 kg	100 x 3	7.5 kg



# GLASS FIBRE PRODUCTS



**Glass Fibre Mesh**



**Glass Fibre Adhesive Tape**



**Glass Fibre Cloth**



**Glass Fibre Rope**



**Glass Fibre Tape**

## Description:

Glass Fibre Textiles are woven/braided from texturized e-glass Fibre yarn on specialized looms. These products are suitable for temperatures upto 550°C and typically used as high temperature curtains, gaskets or simply a wrap to reduce heat loss from a high heat generating equipment. It can also be pre-inserted with SS304 to improve its tensile strength at elevated temperatures and it can also be coated with vermiculite or silicon rubber. This makes it suitable for application in expansion joints , food industry , chemical industry , packaging etc

## Approximate Conversion Chart:

Glass Fibre Rope (round)	3mm	6mm	8mm	10mm	12mm	16mm	20mm	25mm
Std Packing	1kg	5kg	5kg	5kg	5kg	5kg	5kg	5kg
Length per roll	50m	100m	75m	50m	32.5m	22.5m	17.5m	7.5m
Length per Kg	50m	20m	15m	10m	6.5m	4.5m	3.5m	1.5m
Glass Fibre Rope (square)	6mm	8mm	10mm	12mm	16mm	20mm	25mm	38mm
Std Packing	5kg	5kg	5kg	5kg	5kg	5kg	5kg	25kg
Length per roll	100m	75m	50m	32.5m	22.5m	17.5m	7.5m	25m
Length per Kg	20m	15m	10m	6.5m	4.5m	3.5m	1.5m	1m

### Glass Fibre Cloth

Size	Weight	Std Packing
2mm x 1m x 1m	1.3kg	50kg Roll
3mm x 1m x 1m	3.2kg	50kg Roll

### Glass Fibre Tape

Size in mm	Weight	Size in mm	Weight
25 x 3	1.5kg	75 x 3	3.5kg
50 x 3	2.5kg	100 x 3	5kg

# NON ASBESTOS PRODUCTS



**Pure Teflon Packing**



**Pure Graphited Teflon Packing**



**Pure Aramid Packing**



**PTFE & Aramid Packing**



**PTFE Graphite & Aramid Packing**



**Pre-formed Rings**

## Applications:



**Valve Industry**



**Textile Industry**



**Pulp-Paper Industry**



**Fertilizers Industry**



**Power-plant Industry**



**Pharma Industry**



**Petro-chemical Industry**



**Food Industry**

## Approximate Conversion Chart:

Item	Temperature °C	pH Range	Pressure kg/cm <sup>2</sup>	Velocity m/sec
Pure Teflon Packing Rope	-240 to 260	0-14	75	5
Pure Graphited Teflon Rope	-240 to 300	0-14	300	20
Pure Aramid Packing Rope	-240 to 260	2-12	250	12
PTFE & Aramid Combination	-200 to 260	2 - 12	180	12
PTFE Graphite & Aramid	-240 to 260	0 - 12	200	20

# GASKETS AND FRICTION PRODUCTS


## Friction Products



**Brake Lining**

### Description:

Industrial woven and flexible roll linings with and without wire reinforcement are available in various thickness and lengths. Their applications are in segments or as band brakes in elevators, cranes, winches, hoists, drop hammers, concrete mixers, heavy earth moving equipment and in dry and oil immersed conditions. It is available in standard length of 15m (slitting sizes available as per requirement also).



**Friction Sheets**

### Description:

We offer superior quality rigid moulded and woven friction sheets with and without wire reinforcement or metallic inclusions. These are used as segments in industrial clutches, marine gearbox clutches, tractor steering clutches, power press clutches, industrial brakes and other general engineering requirements in shipping, mining, port related and other industries.

## Gaskets




**Ceramic Gaskets**




**Teflon Gaskets**



**Caf Gaskets**



**Double Jacketed**



**Spiral Wounds**

### Ring Faced Gaskets - Class150

S.no	Pipe size	Inner Dia	Outer Dia
1	1/2"	21	48
2	3/4"	27	57
3	1"	33	67
4	1 1/4"	42	76
5	1 1/2"	48	86
6	2"	60	105
7	2 1/2"	73	124
8	3"	89	136
9	3 1/2"	102	162
10	4"	114	175
11	5"	141	197
12	6"	168	222
13	8"	219	279
14	10"	273	340
15	12"	324	410
16	14"	336	450
17	16"	406	515
18	18"	457	550
19	20"	510	605
20	24"	610	712

### Full Faced Gaskets - Class150

S.no	Pipe size	Inner Dia	Outer Dia	PCD	No. of holes	Hole Dia
1	1/2"	21	89	60	4	16
2	3/4"	27	98	70	4	16
3	1"	33	108	79	4	16
4	1 1/4"	42	117	89	4	16
5	1 1/2"	48	127	98	4	16
6	2"	60	152	121	4	19
7	2 1/2"	73	178	140	4	19
8	3"	89	190	152	4	19
9	3 1/2"	102	216	178	8	19
10	4"	114	229	190	8	19
11	5"	141	254	216	8	22
12	6"	168	279	241	8	22
13	8"	219	343	298	8	22
14	10"	273	406	362	12	25
15	12"	324	483	432	12	25
16	14"	336	535	476	12	28
17	16"	406	595	584	16	28
18	18"	457	635	570	16	33
19	20"	510	750	700	20	35
20	24"	610	813	749	20	35



# OTHER ALLIED PRODUCTS

## Gasket Sheets



**Metallic Sheet**



**Non- Metallic Sheet**



**Non- Asbestos Sheet**



**Gasket Rolls**

## Safety Products



**Asbestos Gloves**



**Kevlar Gloves**



**Aluminised  
Kevlar Gloves**



**Heat Resistant  
Suits**

## Blankets



**Glass Fibre  
Welding Blanket**



**Vermiculate Ceramic  
Welding Blanket**



**Asbestos Welding  
Blanket**




**Filter Bags**

## Rubber Products




**Rubber Sheets**




**Silicon Rubber  
Sheets**



**Rubber Cords**



**Self Adhesive  
Tapes**



**O-rings**



**Rubber Gaskets**




**Nylon/ Teflon  
Products**



**Teflon Tape**



**Woolen Felt**



**Pure Graphite  
Sheets**



**Rock Wool /  
LRB Mattress**

## Other Allied Brands



+91 99401 76198 | +91 98404 75352



+91 044 2524 3392 | +91 044 4218 8198



37-D, Venkata Maistry Street, Chennai-600 001.



madrasasbestos@gmail.com |



info@asianinsulations.com



www.asianinsulations.com

